



Try and Error

Python debugging  
and  
beautification

# What happens when something goes wrong

## Raising exceptions

Whenever your program attempts to do something erroneous or meaningless, Python raises exception to such conduct:

```
>>> 1 / 0
Traceback (most recent call last):
  File "<stdin>", line 1, in ?
ZeroDivisionError: integer division or modulo by zero
```

## Catching exceptions

In order to handle errors, you can set up *exception handling blocks* in your code. The keywords `try` and `except` are used to catch exceptions. When an error occurs within the `try` block, Python looks for a matching `except` block to handle it. If there is one, execution jumps there.

If you execute this code:

```
try:
    print 1/0
except ZeroDivisionError:
    print "You can't divide by zero, you're silly."
```

```
In [1]: try:
...:     print 1/0
...: except ZeroDivisionError:
...:     print "You can't divide by zero, you're silly."
...:
```

You can't divide by zero, you're silly.



```
def f(x):
    return g(x) + 1

def g(x):
    if x < 0: raise ValueError, "I can't cope with a negative number here."
    else: return 5

try:
    print f(-6)
except ValueError:
    print "That value was invalid."
```

```
try:
    the_file = open("the_parrot")
except IOError, (ErrorNumber, ErrorMessage):
    if ErrorNumber == 2: # file not found
        print "Sorry, 'the_parrot' has apparently joined the choir invisible."
    else:
        print "Congratulation! you have managed to trip a #%d error" % ErrorNumber
        print ErrorMessage
```

```
try:
    result = x / y
except ZeroDivisionError:
    print "division by zero!"
else:
    print "result is", result
finally:
    print "executing finally clause"
```



# Exception hierarchy

## BaseException

- +-- SystemExit
- +-- KeyboardInterrupt
- +-- GeneratorExit
- +-- Exception
  - +-- StopIteration
  - +-- StandardError
    - +-- BufferError
    - +-- ArithmeticError
      - +-- FloatingPointError
      - +-- OverflowError
      - +-- ZeroDivisionError
    - +-- AssertionError
    - +-- AttributeError
    - +-- EnvironmentError
      - +-- IOError
      - +-- OSError
        - +-- WindowsError (1
        - +-- VMSError (VMS)
    - +-- EOFError
    - +-- ImportError
    - +-- LookupError
      - +-- IndexError
      - +-- KeyError
    - +-- MemoryError
    - +-- NameError
      - +-- UnboundLocalError
    - +-- ReferenceError

- +-- ReferenceError
- +-- RuntimeError
  - +-- NotImplementedError
- +-- SyntaxError
  - +-- IndentationError
    - +-- TabError
- +-- SystemError
- +-- TypeError
- +-- ValueError
  - +-- UnicodeError
    - +-- UnicodeDecodeError
    - +-- UnicodeEncodeError
    - +-- UnicodeTranslateError
- +-- Warning
  - +-- DeprecationWarning
  - +-- PendingDeprecationWarning
  - +-- RuntimeWarning
  - +-- SyntaxWarning
  - +-- UserWarning
  - +-- FutureWarning

```
#!/usr/bin/env python
#
#
# THIS CODE DOES NOT WORK

import sys

def read(a):
    myfile = open(a, 'r'):
    for i in myfile:
        yield i
    myfile.close()

def count_chars(a):
    sum = 0
    for i in read(a):
        for j in i.split():
            sum += len(j)
    print sum

def count_chars2(a):
    i = ''
    while (i != StopExecution):
        for j in i.split():
            sum += len(j)
    print sum

if __name__ == '__main__':
    total = count_chars(sys.argv[1]) + count_chars2(sys.argv[2])
    print total
```



```
nagal:L14>python simple.py frankenstein.txt alice.txt
File "simple.py", line 9
    myfile = open(a, 'r'):
                    ^
SyntaxError: invalid syntax
```



```
#!/usr/bin/env python
#
#
# THIS CODE DOES NOT WORK
```

```
import sys
```

```
def read(a):
    myfile = open(a, 'r')
    for i in myfile:
        yield i
    myfile.close()
```

```
def count_chars(a):
    sum = 0
    for i in read(a):
        for j in i.split():
            sum += len(j)
    print sum
```

```
def count_chars2(a):
    i = ''
    while (i != StopExecution):
        for j in i.split():
            sum += len(j)
    print sum
```

```
if __name__ == '__main__':
    total = count_chars(sys.argv[1]) + count_chars2(sys.argv[2])
    print total
```

```
nagal:L14>python simple1.py frankenstein.txt alice.txt
359240
Traceback (most recent call last):
  File "simple1.py", line 30, in <module>
    total = count_chars(sys.argv[1]) + count_chars2(sys.argv[2])
  File "simple1.py", line 23, in count_chars2
    while (i != StopExecution):
NameError: global name 'StopExecution' is not defined
```

```
#!/usr/bin/env python
#
#
# THIS CODE DOES NOT WORK
```

```
import sys
```

```
def read(a):
    myfile = open(a, 'r')
    for i in myfile:
        yield i
    myfile.close()
```

```
def count_chars(a):
    sum = 0
    for i in read(a):
        for j in i.split():
            sum += len(j)
    print sum
```

```
def count_chars2(a):
    i = ''
    while (i != KeyboardInterrupt):
        for j in i.split():
            sum += len(j)
    print sum
```

```
if __name__ == '__main__':
    total = count_chars(sys.argv[1]) + count_chars2(sys.argv[2])
    print total
```

```
def count_chars2(a):
    return sum([len(j) for i in read(a) for j in
i.split()])
```



WRONG:

```
def count_chars2(a):  
    return sum([len(j) for j in i.split() for i in read(a)])
```

```
nagal:L14>python simple2.py frankenstein.txt alice.txt
```

```
Traceback (most recent call last):
```

```
File "simple2.py", line 26, in <module>
```

```
    total = count_chars(sys.argv[1]) + count_chars2(sys.argv[2])
```

```
File "simple2.py", line 22, in count_chars2
```

```
    return sum([j for j in i.split() for i in read(a)])
```

```
UnboundLocalError: local variable 'i' referenced before assignment
```

```
python -m pdb simple1.py frankenstein.txt alice.txt
```

## Immutable Types Can't Be Changed in Place

Remember that you can't change an immutable object (e.g., tuple, string) in place:

```
T = (1, 2, 3)
```

```
T[2] = 4 # Error
```

Construct a new object with slicing, concatenation, and so on, and assign it back to the original variable if needed. Because Python automatically reclaims unused memory, this is not as wasteful as it may seem:

```
T = T[:2] + (4,) # Okay: T becomes (1, 2, 4)
```



## Use Simple **for** Loops Instead of **while** or **range**

When you need to step over all items in a sequence object from left to right, a simple **for** loop (e.g., `for x in seq:`) is simpler to code, and usually quicker to run, than a **while**- or **range**-based counter loop. Avoid the temptation to use **range** in a **for** unless you really have to; let Python handle the indexing for you. All three of the following loops work, but the first is usually better; in Python, simple is good.

```
S = "lumberjack"
```

```
for c in S:  
    print c                # simplest
```

```
for i in range(len(S)):  
    print S[i]            # too much
```

```
i = 0                                # too much  
while i < len(S):  
    print S[i]  
    i += 1
```

## Don't Expect Results From Functions That Change Objects

In-place change operations such as the `list.append( )` and `list.sort( )` methods modify an object, but do not return the object that was modified (they return `None`); call them without assigning the result. It's not uncommon for beginners to say something like:

```
mylist = mylist.append(X)
```

to try to get the result of an `append`; instead, this assigns `mylist` to `None`, rather than the modified list. A more devious example of this pops up when trying to step through dictionary items in sorted-key fashion:

```
D = {...}
for k in D.keys().sort():
    print D[k]
```

This almost works -- the `keys` method builds a `keys` list, and the `sort` method orders it -- but since the `sort` method returns `None`, the loop fails because it is ultimately a loop over `None` (a nonsequence). To code this correctly, split the method calls out into statements:

```
Ks = D.keys()
Ks.sort()
for k in Ks:
    print D[k]
```

## Conversions Only Happen Among Number Types

In Python, an expression like `123 + 3.145` works -- it automatically converts the integer to a floating point, and uses floating point math. On the other hand, the following fails:

```
S = "42"  
I = 1  
X = S + I          # A type error
```

This is also on purpose, because it is ambiguous: should the string be converted to a number (for addition), or the number to a string (for concatenation)?. In Python, we say that explicit is better than implicit, so you must convert manually:

```
X = int(S) + I    # Do addition: 43  
X = S + str(I)   # Do concatenation: "421"
```

## Cyclic Datastructures Can Cause Loops

Although fairly rare in practice, if a collection object contains a reference to itself, it's called a *cyclic object*. Python prints a `[...]` whenever it detects a cycle in the object, rather than getting stuck in an infinite loop:

```
>>> L = ['grail'] # Append reference back to L
>>> L.append(L)   # Generates cycle in object
>>> L
['grail', [...]]
```

Besides understanding that the three dots represent a cycle in the object, this case is worth knowing about because cyclic structures may cause code of your own to fall into unexpected loops if you don't anticipate them. If needed, keep a list or dictionary of items already visited, and check it to know if you have reached a cycle.

## Local Names Are Detected Statically


Python classifies names assigned in a function as locals by default; they live in the function's scope and exist only while the function is running. Technically, Python detects locals statically, when it compiles the `def`s code, rather than by noticing assignments as they happen at runtime. This can also lead to confusion if it's not understood. For example, watch what happens if you add an assignment to a variable after a reference:

```
>>> x = 99
>>> def func():
...     print X          # Does not yet exist
...     x = 88          # Makes X local in entire def
...
>>> func()              # Error!
```

You get an undefined name error, but the reason is subtle. While compiling this code, Python sees the assignment to `x` and decides that `x` will be a local name everywhere in the function. But later, when the function is actually run, the assignment hasn't yet happened when the `print` executes, so Python raises an undefined name error.

Really, the previous example is ambiguous: did you mean to print the global `x` and then create a local `x`, or is this a genuine programming error? If you really mean to print global `x`, you need to declare it in a global statement, or reference it through the enclosing module name.

<http://www.pylint.org>



# Pylint

Star your Python code!

[Read the doc](#)

[Install it](#)

[Contribute](#)

[Get support](#)

## Features

---

### Coding Standard

- checking line-code's length,
- checking if variable names are well-formed according to your coding standard
- checking if imported modules are used

[Python's PEP8 style guide](#)

### Error detection

- checking if declared interfaces are truly implemented
- checking if modules are imported
- and much more (see [the complete check list](#))

[Full list of codes \(wiki\)](#)

### Refactoring help

Pylint detects duplicated code

[About Refactoring \(on wikipedia\)](#)



```

arzak:L8_debugging>pylint --reports=yes simple1.py
No config file found, using default configuration
***** Module simple1
C:  9, 0: Exactly one space required after comma
      myfile = open(a,'r')
                ^ (bad-whitespace)
C: 22, 0: Exactly one space required around assignment
      i=' '
      ^ (bad-whitespace)
C: 23, 0: Trailing whitespace (trailing-whitespace)
C: 23, 0: Unnecessary parens after 'while' keyword (superfluous-parens)
C:  1, 0: Missing module docstring (missing-docstring)
C:  8, 0: Argument name "a" doesn't conform to snake_case naming style (invalid-name)
C:  8, 0: Missing function docstring (missing-docstring)
W: 15, 4: Redefining built-in 'sum' (redefined-builtin)
C: 14, 0: Argument name "a" doesn't conform to snake_case naming style (invalid-name)
C: 14, 0: Missing function docstring (missing-docstring)
W: 25,12: Redefining built-in 'sum' (redefined-builtin)
C: 21, 0: Argument name "a" doesn't conform to snake_case naming style (invalid-name)
C: 21, 0: Missing function docstring (missing-docstring)
E: 23,16: Undefined variable 'StopExecution' (undefined-variable)
E: 25,12: Undefined variable 'sum' (undefined-variable)
W: 21,17: Unused argument 'a' (unused-argument)
C: 30, 4: Constant name "total" doesn't conform to UPPER_CASE naming style (invalid-name)

```

## Report

=====

21 statements analysed.

## Statistics by type

-----

type	number	old number	difference	%documented	%badname
+-----+-----+-----+-----+-----+-----+					

# Report

=====

21 statements analysed.

## Statistics by type

-----

type	number	old number	difference	%documented	%badname
module	1	1	=	0.00	0.00
class	0	0	=	0	0
method	0	0	=	0	0
function	3	3	=	0.00	0.00

## Raw metrics

-----

type	number	%	previous	difference
code	22	68.75	NC	NC
docstring	0	0.00	NC	NC
comment	4	12.50	NC	NC
empty	6	18.75	NC	NC

## Duplication

-----

	now	previous	difference
nb duplicated lines	0	0	=
percent duplicated lines	0.000	0.000	=

## Messages by category

-----

type	number	previous	difference
convention	12	12	=
refactor	0	0	=
warning	3	3	=
error	2	2	=

## Messages

-----

message id	occurrences
------------	-------------

Messages

-----

message id	occurrences
missing-docstring	4
invalid-name	4
undefined-variable	2
redefined-builtin	2
bad-whitespace	2
unused-argument	1
trailing-whitespace	1
superfluous-parens	1

-----  
Your code has been rated at -1.90/10 (previous run: -1.90/10, +0.00)

read

read

```
#!/usr/bin/env python
#
#
# THIS CODE DOES NOT WORK

import sys

def read(a):
    myfile = open(a, 'r'):
    for i in myfile:
        yield i
    myfile.close()

def count_chars(a):
    sum = 0
    for i in read(a):
        for j in i.split():
            sum += len(j)
    print sum

def count_chars2(a):
    i=""
    while (i != StopExecution):
        for j in i.split():
            sum += len(j)
    print sum

if __name__ == '__main__':
    total = count_chars(sys.argv[1]) + count_chars2(sys.argv[2])
    print total
```

```
#!/usr/bin/env python
#
#
# THIS CODE DOES WORK NOW
''' Example for debugging start to work from simple0.py to simple4.py
    simple4.py was run through pylint and fixed '''

import sys

def read(file1):
    ''' generator to read a text'''
    myfile = open(file1, 'r')
    for i in myfile:
        yield i
    myfile.close()

def count_chars(file1):
    ''' Counting charcters in a file '''
    mysum = 0
    for i in read(file1):
        for j in i.split():
            mysum += len(j)
    return mysum

def count_chars2(file1):
    ''' Counting characters in a file -- using list comprehension '''
    return sum([len(j) for i in read(file1) for j in i.split()])

if __name__ == '__main__':
    if len(sys.argv) > 2:
        FIRST = count_chars(sys.argv[1])
        SECOND = count_chars2(sys.argv[2])
        TOTAL = FIRST + SECOND
        RATIO = float(FIRST)/SECOND
        print "{0:20s}: {1}".format(sys.argv[1], FIRST)
        print "{0:20s}: {1}".format(sys.argv[2], SECOND)
        print "{:20s}: {}".format("Total", TOTAL)
        print "{:20s}: {:.4f}".format("Ratio", RATIO)
    else:
        print "Syntax: python simple4.py bookfile1 bookfile2"
```

